


- NOTES:
- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.
 - 2 PART TO BE PACKED PROPERLY TO AVOID ANY DAMAGE WHILE SHIPPING & HANDLING.
 - 3 ALL HORIZONTAL DIMENSIONS ARE SYMMETRICAL ABOUT CENTER LINE UNLESS OTHERWISE SPECIFIED.



TEMPERATURE PROTECTION 		REQUIREMENTS - FINISHES OTHER FINISHES SPECIFIED CLIENT:		CONTRACT NUMBER -	
MATERIAL SS 304		1. FINISH AS PER MANUFACTURER'S SPECIFICATION 2. DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ANSI Y14.5 (1982) 3. MAKE FINISH 125 MICRO INCH RMS 4. BREAK SHARP CORNERS .005 TO .015		CONTRACTOR: - DATE: 27/11/2013 DRAWN: S.PATIL CHECKED: A.SINSH QA: -	
FINISH -		1. LINEAR DIMS: .004 .005 .010 .015 2. ANGLES = ± 1/2° 3. ROUNDOFF .010 MIN 4. HOLES IN ACCORDANCE WITH ANSI 10.987		MANUFACTURER: NEX FLOW AIR PRODUCTS CORP. 10520 YONCE STREET, UNIT 259-220, RICHMOND HILL, ON L4C 3C7 TEL: (416) 410-1313 & FAX: (416) 410-1806 WWW.NEX-FLOW.COM	
PART NO -		STRESS -		DATE CODE -	
NEXT ASSEMBLY -		TENSILE -		DWG NO 10048XS	
USED ON -		ELECTRICAL -		SCALE 1:1	
QTY PER PART NO -		PRODUCT -		CAD NO XAKS-48	
REVISIONS -		REVISIONS -		SHEET 1 OF 1	

8 7 6 5 4 3 2 1