


8 | 7 | 6 | 5 | 4 | 3 | 2 | 1

- NOTES:**
- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.
 - 2 PART TO BE PACKED PROPERLY TO AVOID ANY DAMAGE WHILE SHIPPING & HANDLING.
 - 3 ALL HORIZONTAL DIMENSIONS ARE SYMMETRICAL ABOUT CENTER LINE UNLESS OTHERWISE SPECIFIED.



PROPRIETARY
 REPRODUCTION OR DISTRIBUTION
 WITHOUT WRITTEN CONSENT OF
 NEXFLOW™ IS PROHIBITED.

THIRD ANGLE PROJECTION	REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP.			
	GENERAL				CLIENT	10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7			
MATERIAL	GENERAL				CONTRACTOR	TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com			
	LIMITS				DATE	TITLE			
FINISH	1. DIMS ARE IN INCHES (MM)				10/04/2021	OUTLINE DRAWING OF			
	2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				CHECKED	60" X-STREAM AIR BLADE AIR KNIFE			
3. MACHINE FINISH 125 MICRO INCH RMS				DESIGN	WITH RN IONIZER / VS IONIZER				
4. INTERNAL RADII .015				PROJECT	SIZE				
5. BREAK SHARP CORNERS .005 TO .015				Q.A.	CAGE CODE				
1. LINEAR DIMS.				MANUFACTURING	DWD NO				
.XXX = .005				STRESS	15060X - 16060X				
.XX = .010				THERMAL	SCALE				
.X = .030				MATERIALS	1:1				
2. ANGLES = ± 1/2°				MECHANISM	CAD NO				
3. ROUNDT .010 TIR				ELECTRICAL	SHEET				
4. HOLES IN ACCORDANCE WITH AND 10387					1 OF 1				
NEXT ASSEMBLY		USED ON	QTY PER ASSY	PART NO					
PART NO									

8 | 7 | 6 | 5 | 4 | 3 | 2 | 1