


8 | 7 | 6 | 5 | 4 | 3 | 2 | 1

NOTES:

- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.
- 2 PART TO BE PACKED PROPERLY TO AVOID ANY DAMAGE WHILE SHIPPING & HANDLING.
- 3 ALL HORIZONTAL DIMENSIONS ARE SYMMETRICAL ABOUT CENTER LINE UNLESS OTHERWISE SPECIFIED.



PROPRIETARY
 REPRODUCTION OR DISTRIBUTION
 WITHOUT WRITTEN CONSENT OF
 NEXFLOW™ IS PROHIBITED.

THIRD ANGLE PROJECTION		REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP.				
		GENERAL				CLIENT	10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7				
MATERIAL	ALUMINIUM	1. DIMS ARE IN INCHES (MM)				CONTRACTOR	TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com				
		2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				DATE	10/04/2021				
FINISH	-	3. MACHINE FINISH 125 MICRO INCH RMS				DESIGN	TITLE				
		4. INTERNAL RADII .015				CHECKED	66" X-STREAM AIR BLADE AIR KNIFE				
		5. BREAK SHARP CORNERS .005 TO .015				LES	WITH RN IONIZER / VS IONIZER				
		LIMITS				PROJECT	SCALE				
		1. LINEAR DIMS.				MANUFACTURING	SIZE	CAGE CODE	DWG NO	RELEASE	REV
		XXX = .005				THERMAL	15066X - 16066X				
		XX = .010				MATERIALS	SCALE 1:1				
		X = .030				MECHANISM	CAD NO - SHEET 1 OF 1				
		2. ANGLES = ± 1/2°									
		3. ROUNDT .010 TIR									
		4. HOLES IN ACCORDANCE WITH AND 10387									
NEXT ASSEMBLY	USED ON	QTY PER ASSY	PART NO								
PART NO											

8 | 7 | 6 | 5 | 4 | 3 | 2 | 1