


8 | 7 | 6 | 5 | 4 | 3 | 2 | 1

NOTES:

- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.
- 2 PART TO BE PACKED PROPERLY TO AVOID ANY DAMAGE WHILE SHIPPING & HANDLING.
- 3 ALL HORIZONTAL DIMENSIONS ARE SYMMETRICAL ABOUT CENTER LINE UNLESS OTHERWISE SPECIFIED.



PROPRIETARY
 REPRODUCTION OR DISTRIBUTION
 WITHOUT WRITTEN CONSENT OF
 NEXFLOW™ IS PROHIBITED.

THIRD ANGLE PROJECTION		—	—	—	—	REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	CONTRACT NUMBER —	NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7 TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com								
		—	—	—	—	GENERAL	CLIENT —									
MATERIAL	ALUMINIUM	—	—	—	—	1. DIMS ARE IN INCHES (MM)	CONTRACTOR —	DATE	TITLE 72" X-STREAM AIR BLADE AIR KNIFE WITH RN IONIZER / VS IONIZER							
		—	—	—	—	2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)	CHIRAG.S	10/04/2021								
FINISH	—	—	—	—	—	3. MACHINE FINISH 125 MICRO INCH RMS	DESIGN	CHECKED	SIZE							
		—	—	—	—	4. INTERNAL RADII .015	—	LES				CAGE CODE	DWG NO	RELEASE	REV	
—	—	—	—	—	—	5. BREAK SHARP CORNERS .005 TO .015	PROJECT	QA	—	15072X - 16072X	—	—				
—	—	—	—	—	—	LIMITS	STRESS	MANUFACTURING	SCALE	1:1	CAD NO	—	SHEET	1	OF	1
—	—	—	—	—	—	1. LINEAR DIMS. .XXX = .005 .XX = .010 .X = .030	THERMAL	MATERIALS	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2. ANGLES = ± 1/2"	MECHANISM	ELECTRICAL	—	—	—	—	—	—	—	—
—	—	—	—	—	—	3. ROUNDT .010 TIR	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	4. HOLES IN ACCORDANCE WITH AND 10387	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	NEXT ASSEMBLY	USED ON	QTY PER ASSY	PART NO	—	—	—	—	—	—	—
—	—	—	—	—	—	PART NO	—	—	—	—	—	—	—	—	—	—

8 | 7 | 6 | 5 | 4 | 3 | 2 | 1