



PROPRIETARY
 REPRODUCTION OR DISTRIBUTION
 WITHOUT WRITTEN CONSENT OF
 NEXFLOW™ IS PROHIBITED.

THIRD ANGLE PROJECTION					
MATERIAL	HIGH TEMPERATURE STAINLESS STEEL				
FINISH	BUFFING				
		NEXT ASSEMBLY	USED ON	QTY PER ASST	PART NO
		PART NO			

REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	
GENERAL	
1.	DIMS ARE IN INCHES (DIM)
2.	DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)
3.	MACHINE FINISH 125 MICRO INCH RMS
4.	INTERNAL RADII .015" (0.4)
5.	BREAK SHARP CORNERS 0.005" (0.1) TO 0.015" (0.4)
LIMITS	
1.	LINEAR DIMS: .XXX = .005" (0.1) .XX = .010" (0.2) X = .030" (0.8)
2.	ANGLES = ± 1/2°
3.	RUNOUT .010 TIR
4.	HOLES IN ACCORDANCE WITH AND 10387

CONTRACT NUMBER	—
CLIENT	—
CONTRACTOR	—
DRAWN	CHIRAG.S
DATE	25/04/2021
DESIGN	LES
PROJECT	—
STRESS	—
MANUFACTURING	—
THERMAL	—
MATERIALS	—
MECHANISM	—
ELECTRICAL	—

NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7 TEL: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com					
TITLE 2" HIGH TEMPERATURE STAINLESS STEEL RING VAC					
SIZE	CAGE CODE	DWG NO	RELEASE	REV	
C	—	30004HTS	P	1	
SCALE	1:1	CAD NO	—	SHEET	1 OF 1