

5

4

3

2

1

D

D

C



C

B

B

A

A



**PROPRIETARY**  
REPRODUCTION OR DISTRIBUTION  
WITHOUT WRITTEN CONSENT OF  
NEXFLOW™ PRODUCTS IS PROHIBITED.



MATERIAL				
FINISH				
NEXT ASSEMBLY	USED ON	QTY PER ASSY	PART NO	
PART NO				

REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				
GENERAL				
1. DIMS ARE IN INCHES (MM)				
2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				
3. MACHINE FINISH 125 MICRO INCH RMS				
4. INTERNAL RADII .015				
5. BREAK SHARP CORNERS .005 TO .015				
LIMITS				
1. LINEAR DIMS.				
.XXX = .005				
.XX = .010				
.X = .030				
2. ANGLES = ± 1/2°				
3. RUNOUT .010 TIR				

CONTRACT NUMBER	—
CLIENT	—
CONTRACTOR	—
DATE	19/11/2020
DRAWN	CHIRAG.S
DESIGN	—
CHECKED	LES
PROJECT	G.A.
STRESS	—
MANUFACTURING	—
THERMAL	—
MATERIALS	—
MECHANISM	ELECTRICAL

NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7 TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com			
TITLE OUTLINE DRAWING OF 18" STANDARD AIR BLADE AIR KNIFE WITH RN IONIZER / VS IONIZER			
SIZE	CAGE CODE	DWG NO	RELEASE
—	—	15018/16018	—
SCALE	1:1	CAD NO	SHEET 1 OF 1